

DR. COLLEEN EBERSOHN

PhD Univ. Pretoria


Cell:072 222 6013

e-mail: ebersohn@cyberperk.co.za

MS. JANET EBERSOHN Bsc. Hons. Environmental Management Cell: 082 557 7122

e-mail: janet@ecoroute.co.za

## SITE PHOTOGRAPHS



PO Box 3511, Knysna, 6570

www.ecoroute.co.za



6. Views from Whites Road showing access road to dwelling on Erf 297, East of Erf 1058 (Dr. Peter Nilssen).



7. Dam in the NE corner of the property (Dr. Peter Nilssen).



Peter Nilssen).



 Examples of exposed surfaces and vegetation cover adjacent to dam and Whites Road (Dr. Peter Nilssen).



 Examples of exposed surfaces and vegetation cover within the development footprint (Dr. Peter Nilssen).



**12.** Examples of cleared areas and exposed surfaces within the development footprint (Dr. Peter Nilssen).



 Examples of cleared areas, exposed surfaces and vegetation within development footprint (Dr. Peter Nilssen).



 Cleared area and vegetation cover in development footprint (Dr. Peter Nilssen).



**13.** Examples of cleared areas and exposed surfaces within the development footprint (Dr. Peter Nilssen).



 Examples of cleared areas, exposed surfaces and vegetation within development footprint (Dr. Peter Nilssen).




17. Electrical boxes / "housing" on the eastern boundary of Erf 1058 (Dr. Peter Nilssen).



**18.** Examples of cleared area and vegetation cover in development footprint (Dr. Peter Nilssen).



19. Examples of cleared area and vegetation cover in development footprint (Dr. Peter Nilssen).



**20.** The overhead power line crossing Erf 1058 (Dr. Peter Nilssen).



**21.** The overhead power line crossing Erf 1058 (Dr. Peter Nilssen).



22. 180° panorama showing vegetation cover and distant surroundings to the South (Dr. Peter Nilssen).





- 23. Mesic thicket / low forest in a band on the southern side of the site. Photo is taken from the cleared servitude of the powerline that crosses the property (Dr. David Hoare).
- 24. View within the mesic thicket / low forest on the southern side of the property. The woodland has parts with open floor and other parts with tangled, impenetrable vegetation, but the structure consists mostly of a single canopy layer (Dr. David Hoare).



**25.** Secondary fynbos elements within the patches of secondary thicket (Dr. David Hoare).



26. Typical vegetation in the northern two-thirds of the site in which clumps of thicket species co-occur with weeds, alien shrubs and patches of herbaceous vegetation (Dr. David Hoare).



27. Small man-made pond in the northern corner of the property (Dr. David Hoare).




**28.** Grassy patches within the thicket clumps in the northern to north-eastern parts of the site, typically dominated by *Stenotaphrum* secundatum and Carpobrotis edulis.



29. View over the valley that runs along the eastern side of the site. This valley is completely dominated by wattles, primarily Acacia mearnsii (Dr. David Hoare).



**30.** View of understorey of areas dominated by Acacia mearnsii. This shows a complete lack of anything else growing underneath the wattles (Dr. David Hoare).



**34.** Poorly vegetated ground below A. *mearnsii* thickets (Confluent Environmental).