


# ALTERNATIVE LAYOUT 2



GENERAL NOTES

THE CONTRACTOR IS TO EMPLOY A LAND - SURVEYOR TO SET OUT THE BUILDING ON THE SITE. THE LAND - SURVEYOR IS TO CONFIRM ALL ERF BEACONS AND CORRECT SITE.

THE CONTRACTOR IS TO VERIFY ALL LEVELS AND ANY DISCREPANCIES TO BE REPORTED TO THE ARCHITECT. THE CONTRACTOR IS TO LOCATE AND IDENTIFY ALL SERVICES ON SITE AND IS TO PROTECT THESE DURING THE DURATION OF THE BUILD.

THE CONTRACTOR IS TO ADHERE TO ALL SPECIFICATIONS AND ALLOWED TOLERANCES AS PER SANS 10400 THAT FORM PART OF THIS DOCUMENT.

ANY ERRORS, DISCREPANCIES, OR OMISSIONS ARE TO BE REPORTED TO THE ARCHITECT.

CONTRACTOR IS TO BUILD IN ALL EXTERNAL DPC, WHETHER OR NOT SHOWN ON THE DRAWINGS. TO ALL EXTERNAL WALLS AT EACH FLOOR, BEAMS OR AND ALL WINDOWS, DOORS, GRILLS, OR OTHER OPENINGS IN EXTERNAL WALLS, CAVITY WALLS TO HAVE STEPPED DPC.

DO NOT SCALE THIS DRAWING.

ALL STRUCTURAL WALLS, BEAMS, RETAINING WALLS, POOLS, LAMINATED BEAM ROOFS, OR STEEL ROOFS, STEEL, EXPOSED ROOF BEAMS, PONDS WATER FEATURES, AND ANY DEMOLITION WORK TO BE SIGNED OFF BY A STRUCTURAL ENGINEER BEFORE ANY WORK DONE.

CONTRACTOR TO PROVIDE ABUTMENT FACILITIES FOR WORKERS IN ACCORDANCE WITH SANS 10400 F

THE FLOOR TO ANY LAUNDRY, KITCHEN, SHOWER ROOM, BATHROOM CONTAINING A TOILET PAN OR URINAL SHALL BE WATER - RESISTENT, AS PER SANS 10400 J.

ALL WORK TO COMPLY WITH NATIONAL BUILDING REGULATIONS, LOCAL COUNCIL REGULATIONS AND THE LATEST SANS 10400 SPECIFICATIONS.

ALL PLUMBING PIPES MUST BE HIDDEN IN DUCTS.

ALL MEASUREMENTS TO BE CHECKED ON SITE AND ANY DISCREPANCIES TO BE REPORTED TO THE ARCHITECT.

NATURAL GROUND LEVEL MUST BE BELOW 150MM BELOW THE UNFINISHED FLOOR LEVEL.

ALL EXTERIOR BALCONIES AND STAIRCASES TO BE TREATED WITH APPROVED CEMENTITIOUS WATERPROOFING PENETRATION AND TORCH - ON, ALL TO MANUFACTURER'S SPECIFICATIONS.

NO COMBUSTIBLE MATERIAL IS ALLOWED TO PASS THROUGH FIRE WALLS TRUSSES ARE NOT ALLOWED TO PASS THROUGH ANY FIRE WALLS.

ALL FULBORES TO BE PROVIDED ON BALCONIES, DETAILS AND SIZE OF OUTLET PIPES TO ENGINEER, DETAILS AND SPEC.

THE ARCHITECT TAKES NO RESPONSIBILITY FOR WORK DONE BEFORE PLANS HAVE BEEN APPROVED BY LOCAL MUNIC. OR COUNCIL.

ALL GLAZING IN STRICT ACCORDANCE WITH GLASS MANUFACTURER'S RECOMMENDATIONS, ALL IN ACCORDANCE WITH THE NBR PART N OR SABS D137, SABS 0400, SABS 1263 AND AAAMSA SELECTION GUIDE FOR SAFETY GLAZING MATERIALS. ALL TO AAAMSA GUIDELINES AND SPECIFICATIONS.

ALL STRUCTURAL WORK TO ENGINEERS DETAILS AND SPECS. AND CERTIFICATION MUST BE GIVEN BY AN ENGINEER FOR ALL STRUCTURAL WORK TO BE CARRIED OUT. ALL FULBORES, STORMWATER, RETAINING, WALLS ARE TO ENGINEERS DETAILS AND SPECS.

ALL VERTICAL TANKING MUST BE DONE STRICTLY TO ENGINEERS DETAILS. A PERFORATED SLOT DRAIN, ALSO TO BE INSTALLED, BEHIND ANY RETAINING WALLS.

GEYSER INSTALLATION TO BE DONE IN ACCORDANCE WITH SABS 0254 AND SANS 10400.

BALUSTRADES TO BE MIN 1000MM, TO COMPLY WITH PART M SABS 0400 HEADROOM MIN 2100MM TO UNDERSIDE OF SLAB, FOR STAIRCASES.

ELECTRICAL LEGEND		ALL EXTERNAL LIGHTS (STAINLESS STEEL)
	TELEPHONE POINT	
	TV - POINT	
	WALL PLUG	
	LIGHT SWITCH	
	LIGHT SWITCH WITH DIMMER	
	DISTRIBUTION BOARD	
	INTERCOM	
	EXTERIOR WATERTIGHT LIGHT	
	PENDANT LIGHT	
	INTERNAL WALL MOUNTED LIGHT	
	LOW VOLTAGE INTERNAL LIGHT POINT	
	SINGLE FLOURESCENT LIGHT	
	DOUBLE FLOURESCENT LIGHT	
	TWO WAY LIGHT SWITCH	
	STOVE ISO	
	VENT FOR MECHANICAL EXTRACTOR	
	HEATED TOWEL RAIL ELECTRICAL POINT	
	WATERPOINT	

**EDDIE DA SILVA AND ASSOCIATES ARCHITECT**

EDDIE DA SILVA AND ASSOCIATES (SACAP reg no 7719) SAIA / CIPA REG NO 7794 CELL: 0829952760 CONSIDERED INACTIVE CO ZA WWW.EDDIEDASILVA.CO.ZA

**PROJECT**

PROPOSED NEW DWELLING FOR HOLMES FAMILY, WILDERNESS SOUTH AFRICA ERF 301 **OPTION 3**

SITEPLAN SIGNATURE OWNER

DESIGNED DRAWN

EDS EDS RNEL

REVISED DATE 08 AUG 2023

REVISED DATE JAN 2025

REVISED DATE

REVISED DATE

DATE 08 AUG 2023 REF NO

THIS DRAWING IS THE COPYRIGHT OF EDDIE DA SILVA